Antispatter - Silicone Free

according to 1907/2006/EC, Article 31

Part No: 1358



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANTI SPATTER - SILICONE FREE 1358

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Specialised Welding Products Ltd

Unit 1

Farringdon Industrial Centre

Farringdon, Nr Alton Hants GU34 3DD United Kingdom

www.specialisedwelding.co.uk

Tel: +44 (0)1420 588180

Fax: +44 (0)1420 588184

Email: sales@swp.uk.net

1.4. Emergency telephone number

Emergency tel: +44 (0)1420 588180

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Carc. 2: H351; -: H229

Most important adverse effects: Pressurised container: May burst if heated. Suspected of causing cancer (route of

exposure unknown).

2.2. Label elements

Label elements:

Hazard statements: H229: Pressurised container: May burst if heated

H351: Suspected of causing cancer (route of exposure unknown).

Hazard pictograms: GHS08: Health hazard



Signal words: Warning

Precautionary statements: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 OQZ, UK

Antispatter - Silicone Free

according to 1907/2006/EC, Article 31

according to 130112000120, 1 title o

Date: 22/11/2015
Page No: 2 of 7

P281: Use personal protective equipment as required.

P308+313: IF exposed or concerned: Get medical attention.

P405: Store locked up.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

Part No: 1358

 $\begin{tabular}{ll} \textbf{Other hazards:} & \textbf{In use, may form flammable / explosive vapour-air mixture.} \end{tabular}$

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DICHLOROMETHANE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-838-9	75-09-2	-	Carc. 2: H351	70-90%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Specialised Welding Products Ltd


Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable. Harmful. In combustion emits toxic fumes. Forms explosive air-

vapour mixture. Vapour may travel considerable distance to source of ignition and flash

back.



tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 OQZ, UK

Antispatter - Silicone Free

according to 1907/2006/EC, Article 31

Part No: 1358



5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition. If outside do not approach from downwind.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Do not use equipment in clean-up procedure which may

produce sparks. Clean-up should be dealt with only by qualified personnel familiar with

the specific substance.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Smoking is forbidden. Use non-sparking tools. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container

tightly closed. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DICHLOROMETHANE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	350 mg/m3	1060 mg/m3	-	-



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK

Antispatter - Silicone Free

according to 1907/2006/EC, Article 31

Part No: 1358



DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not required.

Hand protection: Chemically resistant gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Colourless

Odour: Characteristic odour

Flash point°C: 556

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

 ${\color{red} \textbf{Northern Depot}} \quad \textbf{Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK}$

Antispatter - Silicone Free

according to 1907/2006/EC, Article 31

Part No: 1358



Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DICHLOROMETHANE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg
VAPOURS	RAT	4H LC50	86	mg/l

Relevant hazards for substance:

Hazard	Route	Basis
Carcinogenicity		Hazardous: calculated

Symptoms / routes of exposure

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available. **Other information:** Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DICHLOROMETHANE

Daphnia magna	48H EC50	27	mg/l
FISH	96H LC50	193	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.



Antispatter – Silicone Free

according to 1907/2006/EC, Article 31

Part No: 1358



Page No: 6 of 7

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable. Disposal of packaging: Not applicable.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E Transport category: 1

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 OQZ, UK

Antispatter - Silicone Free

according to 1907/2006/EC, Article 31

Part No: 1358



Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: H229: Pressurised container: May burst if heated

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven

that no other routes of exposure cause the hazard>.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

