



Product name

## Sales display for 2-jaw pullers

For removing bearings, gears, discs, etc.

Art. No. 20-ST

Series 20-ST

EAN 4021176010248



	Technical attribute	Metric	Imperial
	Spread	90 - 250 mm	3 1/2 - 9 7/8 inch
	Depth	100 - 200 mm	3 7/8 - 7 7/8 inch
	Spread used internal	70 - 340 mm	2 3/4 - 13 3/8 inch
	Hexagon drive (male)	17-27 mm	
max.	Maximum load	80-300 t	80-300 US t
	Weight	20.16 kg	
	Number of jaws	2	2



## Technologies



### GLIDE & FIX

The improved geometry guarantees quick and easy movement of the jaws on the cross-beam.



### ARMLOCK

The cross-legged jaws guarantee maximum stability for suspending the jaws in the slider.



### SWITCH

A two-sided spindle tip provides optimal adjustment of the spindle to the shaft.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
20-1	2-jaw puller
20-10	2-jaw puller
20-2	2-jaw puller
20-20	2-jaw puller
20-3	2-jaw puller

## Content

<b>Art. No.</b>	<b>Product name</b>
20-1	2-jaw puller
20-10	2-jaw puller
20-2	2-jaw puller
20-20	2-jaw puller
20-3	2-jaw puller
20-STL	Stand