

## SIMPLEX Plus Box Starter Kit Alu · SIMPLEX soft-face mallet D60, TPE-soft / TPE-mid, with aluminium housing as well as one rubber composition and superplastic insert plus cutter knife 3113s004



### Product Description

With the SIMPLEX Starter Kit Aluminium, you can configure six individual SIMPLEX soft-face mallets. So you always have the right SIMPLEX to hand! This SIMPLEX PLUS BOX Starter Kit Aluminium comprises the SIMPLEX soft-face mallet D60mm, TPE-soft / TPE-mid inserts, and one rubber composition and one superplastic insert. Also included is a cutter knife.

The SIMPLEX soft-face mallet of the series 3113 is available with the insert combination of TPE-soft / TPE-mid. Both inserts are thermoplastic elastomers and do not leave behind any colour marring or - unlike a conventional rubber mallet - any undesired black marring. The blue TPE-soft insert (series 3201) is the softest insert of the SIMPLEX line and offers strong impact cushioning for work requiring a light touch. The grey, medium hard TPE-mid insert (series 3203) allows for a more powerful impact force that is comparable to that of the rubber composition insert (series 3202). The extra light aluminium housing with built-in handle protection sleeve allows the user to easily apply and control the right amount of impact force. This makes it a cinch to process materials that break easily.

In addition, this promotional box also contains one replacement rubber composition insert (black, medium hard, impact cushioning, low-wear) and one superplastic insert (white, medium hard, very durable) as well as a cutter knife.

Product features:


Promo box that comes with the SIMPLEX soft-face mallet and two additional inserts plus a cutter knife.

- SIMPLEX soft-face mallet D60mm (art. no. 3113.060)
  - Insert combination TPE-soft (blue, soft, non-marring) / TPE-mid (grey, medium hard, non-marring)
  - Extra light aluminium housing with built-in handle protection sleeve
  - High-quality, vibration-damping, and ergonomically shaped wooden handle; grip area with double coat of varnish (resistant to dirt)
- Two additional inserts
  - Rubber composition (black, medium hard, impact cushioning, odourless, ultra low-wear)
  - Superplastic (white, medium hard, very durable)
- Cutter knife

### Application Areas

Laying slabs that break easily, floor tiling, masonry setting (aerated concrete stones, natural pumice stones)

### Order information

Dimensions Length x Width x Height [mm]	 [g]	GTIN	ecl@ss 10.1	Art. No.
155 x 70 x 470	1430	4030618314905	21-04-09-16	3113s004



Application example











## Compliance

### RoHS compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

### Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 25.06.2025.

### Does not contain Proposition 65 substances

No Proposition 65 substances included.

<https://www.P65Warnings.ca.gov/>

### Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.